## Appendix 2.



## Brachycephalic Obstructive Airway Syndrome (BOAS) grading based on clinical examination (Lilja-Maula et al. 2017, modified from Liu et al. 2015)

	BOAS grade <sup>a</sup>			
	BOAS-		BOAS+	
	0	1 <sup>b</sup>	2 <sup>b</sup>	3
Upper respiratory noise at rest <sup>c</sup>	0	0-1	1-2	2-3
0 = none				
1 = mild				
2 = moderate				
3 = severe				
Upper respiratory noise after exercise <sup>c</sup>	0	1-2	1-2	2-3
0 = none				
1 = mild				
2 = moderate				
3 = severe				
Respiratory type at rest	0	0	0-1	1
0 = normal				
1 = use of accessory respiratory muscles <sup>d</sup>				
Resting dyspnoea or cyanosis	0	0	0	0-1
0 = none				
1 = present				

<sup>&</sup>lt;sup>a</sup>BOAS grade: 0 = no; 1 = mild, 2 = moderate, 3 = severe signs.

<sup>&</sup>lt;sup>b</sup>Upgrading to next BOAS grade is made in case the dog has all signs in upper range.

<sup>&</sup>lt;sup>c</sup>Audible upper respiratory noise evaluated without auscultation.

<sup>&</sup>lt;sup>d</sup>Accessory respiratory muscle use evident by nasal flaring and increased chest and abdominal wall movements.