



## MEDICATION GUIDELINES

### Medication Guidelines and withdrawal periods

Medication Guidelines are valid as of 1.11.2020. Reviewed by the Board on **2025.03.06**.

*This document is a translation. In cases of doubt, the original Finnish version will prevail.*

Withdrawal periods issued in the Medication Guidelines are binding minimum withdrawal periods, calculated from the last day of administration to the time of the canine event. It is essential that a dog that has been treated with medication is allowed enough time to recover from the disease. Only healthy dogs can participate in canine events. It may be necessary to extend the minimum withdrawal period, for example if the treatment has continued for a long period of time or an exceptionally large dosage has been administered.

**All medications (also those registered for human use) are subject to a withdrawal period of at least 7 days. Please see the Finnish Kennel Club's Vaccination Regulations as regards vaccinations that are no longer valid.**

**All medication (except for antiparasitic treatments) is prohibited 7 days prior to the canine event. A dog has no right to participate at Finnish Kennel Club's canine events during the withdrawal period. The person responsible for the dog is always responsible for that the dog does not have any medicinal substances or substances considered as doping in its body during the canine event.**

Orally administered supplementary and nutritional feeds are not subject to a withdrawal period. However, the person responsible for the dog should exercise additional caution when using these. Ingredients of these products (for example, certain herbs) may contain substances that result in a positive doping result and may therefore lead to penalties. Nutritional and supplementary feeds have not been researched to the same extent as is required of medicines. Therefore, there is not always full certainty of the contents of these products.

The Finnish Kennel Club does not issue withdrawal periods for preparations registered for human use, because there is usually not enough research data regarding usage on dogs. If comparable preparations exist, the length of the withdrawal period can be assessed according to preparations registered for canine use, otherwise case-by-case. When using preparations registered for human use, the veterinarian must consider the characteristics of the medicine, dosage, dog's general condition, as well as how the disease affects the withdrawal period of the medicine.

### THERAPEUTIC CLASS

<u>BRAND NAME</u>	<u>ACTIVE INGREDIENT / PURPOSE OF USE</u>	<u>WITHDRAWAL PERIOD</u>
-------------------	---	--------------------------

#### ANTIMICROBIAL MEDICINES (including antibiotics, penicillin)

##### 1. Antibacterial medicines

- Oral administration

Amovet Vet	Amoxicillin trihydrate	7 days
Amoxibactin Vet	Amoxicillin trihydrate	7 days
Baytril Vet	Enrofloxacin	7 days
Cefabactin Vet	Cephalexin monohydrate	7 days
Clamovet	Amoxicillin trihydrate, clavulanic acid	7 days
Clavaseptin	Amoxicillin trihydrate, clavulanic acid	7 days
Clavubactin	Amoxicillin trihydrate, clavulanate potassium	7 days
Clinacin	Clindamycin hydrochloride	7 days
Clindabuc Vet	Clindamycin hydrochloride	7 days
Doxybactin Vet	Doxycycline hyclate	7 days
Efex Vet	Marbofloxacin	7 days
Floxabactin Vet	Enrofloxacin	7 days
Kefavet Vet	Cephalexin monohydrate	7 days
Kesium Vet	Amoxicillin trihydrate, clavulanic acid	7 days
Rilexine Vet	Cephalexin monohydrate	7 days
Spizobactin	Metronidazole, spiramycin	7 days
Synulox Vet	Amoxicillin trihydrate, clavulanate potassium	7 days
Therios Vet	Cephalexin monohydrate	7 days



## MEDICATION GUIDELINES

### THERAPEUTIC CLASS

BRAND NAME	ACTIVE INGREDIENT / PURPOSE OF USE	WITHDRAWAL PERIOD
------------	------------------------------------	-------------------

Tsefalen	Cephalexin monohydrate	7 days
Veraflox	Pradofloxacin	7 days
Xeden Vet	Enrofloxacin	7 days

### ANTIMICROBIAL MEDICINES (including antibiotics, penicillin)

#### 1. Antibacterial medicines

- Parenteral administration

Baytril Vet	Enrofloxacin	7 days
Betamox Vet	Amoxicillin trihydrate	7 days
Convenia	Cefovecin	35 days
Duplocillin La Vet	Benzathine benzylpenicillin	14 days
Ethacilin Vet	Procaine benzylpenicillin	14 days
Fenolox Vet	Enrofloxacin	7 days
Lincosin Vet	Lincomycin hydrochloride	7 days
Oriprim Vet	Sulfadiazine, trimethoprim	7 days
Penovet Vet	Procaine benzylpenicillin	14 days
Synulox Vet	Amoxicillin trihydrate	7 days
Tylan Vet	Tylosin	7 days

#### 2. Antifungal medication

Canizol Vet	Ketoconazole	7 days
Imaverol Vet	Enilconazole	7 days
Itrafungol Vet	Itraconazole	7 days

### SEX HORMONES AND OTHER PREPARATIONS FOR REPRODUCTIVE CARE

#### 1. Gonadotropin preparations

Gonadotropins	Hormones that stimulate and regulate gonad function	183 days (6 months)
---------------	---	---------------------

#### 2. Progesterone

Perlutex Vet	Medroxyprogesterone acetate, interruption or postponement of heat	183 days (6 months)
--------------	---	---------------------

#### 3. Oxytocins

Partoxin Vet	Oxytocin	28 days
Vetox Vet	Oxytocin	28 days

#### 4. Miscellaneous

Alizin	Aglepristone	28 days
Galastop Vet	Cabergoline	14 days
Kelactin Vet	Cabergoline	14 days
Suprelorin	Deslorelin	730 days (2 years)

### TREATMENT OF CARDIOVASCULAR DISEASES AND DIURETICS

#### 1. Cardiac and renal insufficiency medication

Benakor Vet	Benazepril hydrochloride	28 days
Cardisure Vet	Pimobendan	28 days
Fortekor Vet	Benazepril hydrochloride	28 days
Nelio Vet	Benazepril hydrochloride	28 days
Prilium	Imidapril hydrochloride	28 days
Vetmedin Vet	Pimobendan	28 days



## MEDICATION GUIDELINES

### THERAPEUTIC CLASS

BRAND NAME	ACTIVE INGREDIENT / PURPOSE OF USE	WITHDRAWAL PERIOD
------------	------------------------------------	-------------------

#### 2. Diuretics

Dimazon Vet	Furosemide	28 days
Furosoral Vet	Furosemide	28 days
Furovet Vet	Furosemide	28 days
Upcard Vet	Toraseamide	28 days

#### 3. Combination preparations

Cardalis	Benazepril hydrochloride, spironolactone	28 days
Fortekor Plus	Pimobendan, benazepril hydrochloride	28 days

#### 4. Miscellaneous

Canergy Vet	Propentofylline	183 days (6 months)
-------------	-----------------	---------------------

### TREATMENT OF DIGESTIVE SYSTEM AND UROLOGICAL DISEASES

#### 1. Digestive system preparations

Cerenia	Maropitant	7 days
Clevor	Ropinirole	7 days
Metomotyl Vet	Metoclopramide hydrochloride	7 days
Prevomax	Maropitant	7 days
Spasmiun Vet	Metamizole sodium monohydrate, hyoscine butylbromide	14 days
Vetemex Vet	Maropitant	7 days
Zitac Vet	Cimetidine	7 days
Ursochol vet	Ursodeoxycholic acid	7 days

#### 2. Urological disease preparations

##### Treatment of benign prostatic hyperplasia

Tardak Vet	Delmadinone acetate	28 days
Ypozane	Osaterone acetate	183 days (6 months)

##### Treatment of urinary incontinence

Caniphedrin	Ephedrine hydrochloride	7 days
Incurin	Estriol	28 days
Propalin	Phenylpropanolamine hydrochloride	14 days

### ANESTHETICS

#### 1. Parenteral (injection) sedative analgesics

Alvegesic Vet	Butorphanol	7 days
Bupaq Multidose Vet	Buprenorphine hydrochloride	28 days
Buprefelican Vet	Buprenorphine hydrochloride	28 days
Butordol	Butorphanol	7 days
Cepedex Vet	Dexmedetomidine	7 days
Cepetor Vet	Medetomidine hydrochloride	7 days
Dexdomitor	Dexmedetomidine	7 days
Domitor Vet	Medetomidine hydrochloride	7 days
Diazedor	Diazepam	7 days
Dorbene Vet	Medetomidine hydrochloride	7 days
Insistor Vet	Methadone hydrochloride	28 days
L-Polamivet Vet	Fenpipramide hydrochloride, levomethadone hydrochloride	28 days
Nerfasin Vet	Xylazine	7 days
Rompun Vet	Xylazine	7 days
Sedadex	Dexmedetomidine	7 days
Sedator Vet	Medetomidine hydrochloride	7 days





## MEDICATION GUIDELINES

### THERAPEUTIC CLASS

BRAND NAME	ACTIVE INGREDIENT / PURPOSE OF USE	WITHDRAWAL PERIOD
------------	------------------------------------	-------------------

#### 2. Treatment of separation anxiety

Clomicalm	Clomipramine hydrochloride	7 days
Reconcile	Fluoxetine	49 days

#### 3. Miscellaneous

Gabapentin Vet	Gabapentin	14 days
Tramvetol	Tramadol hydrochloride	28 days

### ANTI-INFLAMMATORY MEDICINES AND OTHER ANALGESICS

#### 1. Non-steroidal anti-inflammatory medicines

Canicarl Vet	Carprofen	14 days
Carprodyl Vet	Carprofen	14 days
Carprofelican Vet	Carprofen	14 days
Cimalgex	Simikoksib	14 days
Daxocox	Enflicoxib	365 days (12 months)
Galliprant Vet	Grapirant	14 days
Loxicom Vet	Meloxicam	14 days
Meloxidolor	Meloxicam	14 days
Meloxoral	Meloxicam	14 days
Metacam	Meloxicam	14 days
Norocarp	Carprofen	14 days
Norocarp Vet	Carprofen	14 days
Onsior	Robenacoxib	14 days
Previcox	Firocoxib	14 days
Rimadyl Vet (injection suspension)	Carprofen	14 days
Rimadyl Vet (tablets)	Carprofen	14 days
Trocoxil	Mavacoxib	90 days

#### 2. Treatment of non-infective arthritis

Cartrophen Vet	Pentosan polysulphate sodium	7 days
Librela	Bedinvetmab	28 days

### TREATMENT OF SKIN DISEASES AND WOUNDS

#### 1. Local antimicrobial and anti-inflammatory preparations

Withdrawal period for preparations that contain antibiotics is 7 days. Withdrawal period for preparations that contain corticosteroids is 14 days.

Adaxio Vet	Chlorhexidine gluconate, miconazole nitrate	7 days
Betafuse Vet	Betamethasone, fusidic acid	14 days
Canofite Vet	Miconazole nitrate, prednisolone acetate, polymyxin B sulphate	14 days
Cortavance	Hydrocortisone aceponate	14 days
Dermanolon Vet	Triamcinolone acetonide, salicylic acid	14 days
Engemycin	Oxytetracycline hydrochloride	7 days
Isaderm Vet	Fusidic acid, betamethasone valerate	14 days
Malaseb Vet	Chlorhexidine gluconate, miconazole nitrate	7 days
Saniotic Vet	Miconazole nitrate, prednisolone acetate, polymyxin B sulphate	14 days
Terra-Poly Vet	Oxytetracycline hydrochloride, polymyxin B sulphate	7 days

#### 2. Oral administration

Apoquel	Oclacitinib	14 days
Atopica Vet	Cyclosporine	28 days
Cyclance Vet	Cyclosporine	28 days
Modulis Vet	Cyclosporine	28 days



## MEDICATION GUIDELINES

### THERAPEUTIC CLASS

BRAND NAME	ACTIVE INGREDIENT / PURPOSE OF USE	WITHDRAWAL PERIOD
------------	------------------------------------	-------------------

Sporimune Vet	Cyclosporine	28 days
---------------	--------------	---------

### 3. Miscellaneous

Cytopoint	Lokivetmab	28 days
-----------	------------	---------

### CORTICOSTEROIDS AND ANTIHISTAMINES FOR STRUCTURED USE

Dexaject	Dexamethasone sodium phosphate	14 days
----------	--------------------------------	---------

Depo-Medrol Vet	Methylprednisolone acetate	90 days
-----------------	----------------------------	---------

Medrol Vet	Methylprednisolone	14 days
------------	--------------------	---------

Prednicortone Vet	Prednisolone	14 days
-------------------	--------------	---------

Rapidexon Vet	Dexamethasone sodium phosphate	14 days
---------------	--------------------------------	---------

### TREATMENT OF METABOLIC AND ENDCRINE DISEASES

#### 1. Mineral, trace element, and vitamin preparations

Beviplep Vet	Riboflavin, nicotinamide, dexpanthenol, pyridoxine hydrochloride, cyanocobalamin, thiamine hydrochloride	7 days
--------------	--	--------

#### 4. Treatment of hypothyroidism

Forthyron Smak Vet	Levothyroxine sodium	28 days
--------------------	----------------------	---------

#### 5. Treatment of Cushing's disease/syndrome

Vetoryl	Trilostane	28 days
---------	------------	---------

#### 6. Treatment of Addison's disease

Zycortal Vet	Desoxycortone pivalate	183 days (6 months)
--------------	------------------------	---------------------

#### 7. Treatment of diabetes

Caninsulin Vet	Porcine insulin	28 days
----------------	-----------------	---------

### EYE AND EAR MEDICATION

#### 1. Eye medication

Isathal Vet	Fusidic acid	7 days
-------------	--------------	--------

Oftan Akvakol	Chloramphenicol	7 days
---------------	-----------------	--------

Oftan C-C	Chloramphenicol, hydrocortisone	7 days
-----------	---------------------------------	--------

Oftan Chlora	Chloramphenicol	7 days
--------------	-----------------	--------

Oftan Dexa	Dexamethasone	7 days
------------	---------------	--------

Oftan Dexa-Chlora	Dexamethasone, chloramphenicol	7 days
-------------------	--------------------------------	--------

Oftan Kloramfenikol	Chloramphenicol	7 days
---------------------	-----------------	--------

Optimmune Vet	Cyclosporine	28 days
---------------	--------------	---------

Ophtaclin vet 10 mg/g	Chlortetracycline hydrochloride	7 days
-----------------------	---------------------------------	--------

#### 2. Ear medication

Aurizon	Marbofloxacin, clotrimazole, dexamethasone	14 days
---------	--	---------

Canaural Vet	Diethanolamine fusidate, framycetin sulphate, nystatin, prednisolone	14 days
--------------	--	---------

Canofite Vet	Miconazole nitrate, prednisolone acetate, polymyxin B sulphate	14 days
--------------	--	---------

Easotic	Hydrocortisone aceponate, miconazole nitrate, gentamicin sulphate	14 days
---------	---	---------

Neptra	Florfenicol, terbinafine, mometasone	14 days
--------	--------------------------------------	---------

Osurnia	Terbinafine, florfenicol, betamethasone acetate	14 days
---------	---	---------

Otita Para Vet	Benzocaine, hydrocortisone acetate, crotamiton	14 days
----------------	--	---------

Otomax Vet	Gentamicin sulphate, betamethasone valerate, clotrimazole	14 days
------------	---	---------

Recicort Vet	Triamcinolone acetonide, salicylic acid	14 days
--------------	---	---------

Saniotic Vet	Miconazole nitrate, prednisolone acetate, polymyxin B sulphate	14 days
--------------	--	---------



## MEDICATION GUIDELINES

### THERAPEUTIC CLASS

<u>BRAND NAME</u>	<u>ACTIVE INGREDIENT / PURPOSE OF USE</u>	<u>WITHDRAWAL PERIOD</u>
-------------------	---	--------------------------

A list of treatments and methods that the Kennel Club's board has determined in connection with doping control or otherwise as treatments affecting the dog's performance.

Cryotherapy		Prohibited
-------------	--	------------

### ANTIPARASITIC MEDICATION

#### Treatment of endoparasites

Axilur	Fenbendazole	No withdrawal period
Canex Vet	Pyrantel embonate	No withdrawal period
Cazitel	Pyrantel embonate	No withdrawal period
Cazitel Plus	Praziquantel, pyrantel embonate, febantel	No withdrawal period
Cazitel tablet for large dogs	Praziquantel, pyrantel, febantel	No withdrawal period
Dolpac Vet	Oxantel, pyrantel, praziquantel	No withdrawal period
Dronbits	Praziquantel, pyrantel embonate, febantel	No withdrawal period
Droncit Vet	Praziquantel	No withdrawal period
Flubenol Vet	Flubendazole	No withdrawal period
Milbemax Vet	Milbemycinoxime, praziquantel	No withdrawal period
Milpro Vet	Milbemycinoxime, praziquantel	No withdrawal period
Nemavet Vet	Fenbendazole	No withdrawal period
Prazitel Plus	Praziquantel, pyrantel embonate, febantel	No withdrawal period
Profender	Praziquantel	No withdrawal period
Veloxa Vet	Praziquantel, pyrantel embonate, febantel	No withdrawal period
Welpan Vet	Febantel, pyrantel	No withdrawal period
Ziqamil Vet	Milbemycinoxime, praziquantel	No withdrawal period

#### Treatment of ectoparasites

Bayvantic Vet	Imidacloprid	No withdrawal period
Bravecto	Fluralaner	No withdrawal period
Credelio	Lotilaner	No withdrawal period
Effiro	Fipronil	No withdrawal period
Exproline Vet	Fipronil	No withdrawal period
Exspot Vet	Permethrin	No withdrawal period
Frontec	Fipronil, permethrin	No withdrawal period
Frontline Comp	Fipronil, S-methoprene	No withdrawal period
Frontline Vet	Fipronil	No withdrawal period
Nexgard	Afoxolaner	No withdrawal period
Scalibor Vet	Deltamethrin	No withdrawal period
Seresto Vet	Imidacloprid, flumethrin	No withdrawal period
Simparica Vet	Sarolaner	No withdrawal period
Vectra Vet	Dinotefuran, pyriproxyfen, permethrin	No withdrawal period

#### Treatment of endoparasites and ectoparasites

Advocate	Imidacloprid, moxidectin	No withdrawal period
Broadline	Fipronil, S-methoprene, eprinomectin, praziquantel	No withdrawal period
Interceptor Vet	Milbemycin oxime	No withdrawal period
Nexgard Spectra	Afoxolaner, milbemycin oxime	No withdrawal period
Stronghold	Selamectin	No withdrawal period

### VACCINES

As regards vaccinations, please see the Finnish Kennel Club's Vaccination Regulations.

### PREPARATIONS REGISTERED FOR HUMAN USE



## MEDICATION GUIDELINES

All medications (also those registered for human use) are *subject to a withdrawal period of at least 7 days*.

### **AMENDMENTS TO MEDICATION GUIDELINES**

Latest amendment 2025.03.06. Medication Guidelines are updated, when necessary.